IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Mark Agro et al. Confirmation No. 8307

Patent No.: 7,179,252 Issued: February 20, 2007 Serial No.: 10/825,250 Filed: April 14, 2004

Docket No.: 1001.1698104 Customer No.: 28075

For: SINGLE OPERATOR EXCHANGE BILIARY CATHETER

Attention Certificate of Correction Branch

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S. Patent and Trademark Office on this 9th day of June 2007.

By Kathlen & Buckley
Kathleen L. Bockley

Sir:

Attached is Form PTO/SB/44 being suitable for printing. The exact page and line number where the errors are shown correctly in the application file are:

Response filed June 28, 2006 at page 3: Line 3 of claim 37.

Please send the Certificate to Customer No. 28075

Respectfully submitted,

Mark Agro et al. By their Attorney.

Dated: June 9, 2007 /david m, crompton/

David M. Crompton, Reg. No. 36,772 CROMPTON, SEAGER & TUFTE, LLC 1221 Nicollet Avenue. Suite 800

Minneapolis, MN 55403-2420 Telephone: (612) 677-9050 Facsimile: (612) 359-9349

PTO/SB/44 (04-05)

Page 1 of

1

Approved for use through 04/30/2007. OMB 0651-0033
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid Office on the Internation (Also Form PTO-1050).

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :	7,179,252
APPLICATION NO.:	10/825,250
ISSUE DATE :	February 20, 2007
INVENTOR(S) :	Mark Agro et al.
It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:	
Column 13 Line 25, delete "giudewire", and insert therefor guidewire	

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Crompton, Seager & Tufte, LLC 1221 Nicollet Avenue, Suite 800 Minneapolis, MN 55403-2420

This collection of information is required by 37 CFR 1.322, 1.322, and 1.324. The information is required to obtain or retain a benefit by the public which is to life (and by the USPTO to process) an application. Confidentially is governed by 3 S U.S. C. 123 and 37 CFR 1.14. This collection is estimated to late 1.0 hour to complete, including patheting, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete his form and/or suggestions for reducing the burden, should be sent to the filteration of the complete of the complet